

## SIDE PANEL

### Installation and User Guide

**These instructions must be left with the user**

1115978-W2-A

# INTRODUCTION

Thank you for purchasing a quality Mira product. To enjoy the full potential of your new product, please take time to read this guide thoroughly, having done so, keep it handy for future reference.

The following pages aim to provide comprehensive installation instructions, plus advice on how to care and maintain your product.

We recommend that the unit is installed by a qualified plumber or engineer.

## General

1. Read all of these instructions.
2. Retain this guide for later use.
3. Pass on this guide in the event of change of ownership of the installation site.
4. Follow all warnings, cautions and instructions contained in this guide.

## Guarantee

For domestic installations, Mira Showers guarantee this shower enclosure against any defect in materials or workmanship for a period of **ten** years from the date of purchase.

For non-domestic installations, Mira Showers guarantee this shower enclosure against any defect in materials or workmanship for a period of **one** year from the date of purchase.

For terms and conditions refer to the back cover of this guide.


## Recommended Usage

Domestic	✓
Light Commercial	✓
Heavy Commercial	✗
Healthcare	✗


If you experience any difficulty with the installation or operation of your new enclosure, please refer to '**Fault Diagnosis**', before contacting Kohler Mira Ltd. Our contact details can be found on the back cover of this guide.

# PACK CONTENTS

Tick the appropriate boxes to familiarise yourself with the part names and to confirm that all of the parts are included.



☐ 1 x Plastic Covers



☐ 1 x Side Panel



☐ 4 x Concealing Caps



☐ 4 x Screws



☐ 4 x Plastic Washers

## Documentation


☐ 1 x Guarantee Registration Document

# SAFETY PRECAUTIONS

## General


1. Care should be taken when drilling into walls and floors to avoid any hidden pipes or wires.
2. We strongly recommend that all glass panels are moved by a minimum of two people and that any protective packaging along the glass edges is kept in place for as long as possible to prevent damage before installation.
3. People not familiar with the fitting of Mira enclosures may require the assistance from another person at certain stages of the procedure.
4. Wear protective footwear when lifting panels.
5. Wear safety glasses when drilling.

## INSTALLATION




- (a) Install the shower tray in accordance with the manufacturer's instructions.  
**Caution!** make sure that the shower tray is level and that the walls are vertical and square.  
**Note!** Cover the tray waste to prevent the loss of small parts.  
**Note!** Protect the tray surface during enclosure installation.
- (b) Mark the position of the wall channel.

# 2






- (a) Position the wall channel on the wall. Using a spirit level make sure that it is upright.
  - (b) Mark the position of the fixing holes, then remove the wall channel.
  - (c) For solid walls, drill with a 6 mm masonry bit (not supplied) and plug using the wall plugs (supplied).
- Note!** For other types of wall structure alternative fixings may be required.
- (d) Position the wall channel on the wall and partially install the fixing screws.
  - (e) Apply silicone sealant according to the manufacturers instructions along the length of the wall.
  - (f) Fully tighten the fixing screws, making sure that the wall channel is upright.



- (a) Position the second wall channel on the wall. Using a spirit level make sure that it is upright.
  - (b) Mark the position of the fixing holes, then remove the wall channel.
  - (c) For solid walls, drill with a 6 mm masonry bit (not supplied) and plug using the wall plugs (supplied).
- Note!** For other types of wall structure alternative fixings may be required.
- (d) Position the wall channel on the wall and partially install the fixing screws.
  - (e) Apply silicone sealant according to the manufacturers instructions along the length of the wall.
  - (f) Fully tighten the fixing screws, making sure that the wall channel is upright.


4



**Doors are Reversible for LH  
or RH fitting**


- (a)** Position the side panel over the wall channel making sure that it locates correctly.

5





- (a) Install the door frame over the other wall channel making sure that it locates correctly.






- (a) Push the side panel and the door frame together until the corner post extrusion engages and locks together.
- (b) Drill four 3 mm holes in the corner post and through into the door frame with the 3 mm drill (supplied).
- (c) Install the plastic washer and the screw.
- (d) Tighten the screws and fit the plastic concealing caps to secure the corner post.

7




- (a) Lift up the door frame and side panel within the wall channels and apply silicone sealant in accordance with the manufacturers instructions to the area shown.
- (b) Lower the door frame until it sits firmly on the shower tray. Remove any excess sealant.
- (c) Centralise the door frame within the wall channels, making sure that the door frame is square.




- (a) Drill four 3 mm holes in the door frame and through into the wall channel with the 3 mm drill (supplied).
- (b) Install the plastic washer and the screw.
- (c) Tighten the screws and fit the plastic concealing caps.
- (d) Repeat the process for the other wall channel.

9









- (b)** Apply sealant in accordance with the manufacturers instructions along the inner surfaces of the door frame and shower tray.



- (a) Partially remove the door sealing strips as shown above.
- (b) Apply a small amount of sealant in accordance with the manufacturers instructions as shown above.
- (c) Fit the door sealing strips back in position. Remove any excess silicone sealant.

# 11



- (a) Fit the plastic covers to the top of the extrusions.
- (b) Apply sealant in accordance with the manufacturers instructions along the bottom of the door frame.
- (c) Fit the door handle to the door and fit the plastic covers to the top of the extrusions.
- (d) Allow the silicone sealant to cure for 24 hours before use.

# MAINTENANCE

## General Maintenance

Providing the shower enclosure has been correctly installed and is operated in accordance with the instructions contained in this guide, difficulties should not arise.

If any maintenance is required then it must be carried out by a competent tradesperson to whom the maintenance instructions are provided.

Before replacing any parts ensure the underlying cause of the malfunction has been resolved.

## Cleaning

**Warning!** Many household cleaners contain abrasive and chemical substances and should not be used for cleaning painted, plated or plastic fittings.

These finishes should be cleaned with a mild washing up detergent or soap solution and then wiped dry using a soft cloth.

## Care

To preserve the beauty of your shower enclosure for many years, please observe the following care instructions:

Rinse glass and frame with clear water after showering. Remove water droplets with a squeegee. Do not rub dry! To clean your shower hygienically and easily, we recommend the use of a biodegradable cleanser.

Regular cleansing with a biodegradable cleanser prevents stubborn stains and ensures a clean and hygienic surface for many years. Do not use scouring or caustic cleansers under any circumstances! These can damage the surface of the frame, glass and decorative parts as well as the plastic parts.

## Chrome Parts

Use only cleansers expressly specified for chrome!

# CUSTOMER SERVICE

## Guarantee of Quality

Mira Showers guarantee your product against any defect in materials or workmanship, provided that it is installed and maintained in accordance with the instructions given in this guide.

To validate the guarantee, please return your completed registration card within 30 days of product installation.

Within the guarantee period we will resolve defects, free of charge, by repairing or replacing parts or modules as we may choose.

To be free of charge, service work must only be undertaken by Mira Showers or our approved agents.

Service under this guarantee does not affect the expiry date of the guarantee.

The guarantee on any exchanged parts or product ends when the normal product guarantee period expires.

## Not covered by this guarantee:

Damage or defects arising from incorrect installation, improper use or lack of maintenance, including build-up of limescale.

Damage or defects if the product is taken apart, repaired or modified by any persons not authorised by Mira Showers or our approved agents.

This guarantee is in addition to your statutory and other legal rights.

## What to do if something goes wrong

If when you first use your enclosure, it doesn't function correctly, first contact your installer to check that installation is satisfactory and in accordance with the instructions in this manual. We are on hand to offer you or your installer any advice you may need.

Should this not resolve the difficulty, simply contact our Customer Services Team who will give every assistance and, if necessary, arrange for our service engineer to visit. If the operation of your enclosure declines, please call our Customer Services Team to talk the difficulty through, request a service under guarantee if applicable, or take advantage of our comprehensive After-Sales service.

As part of our quality and training programme calls may be recorded or monitored.

Our Customer Services Team is comprehensively trained to provide every assistance you may need: help and advice, spare parts or a service visit.

## Spare Parts

We maintain an extensive stock of spares and aim to provide support throughout the product's expected life.

Genuine Mira spares can be purchased direct from Customer Services.

Spare parts will normally be despatched within three to five working days. Payment can be made using most major Credit or Debit cards at the time of ordering. Should payment by cheque be preferred, a pro-forma invoice will be sent.

All spares are guaranteed for 12 months from the date of purchase.

## Service / Repairs

Our Service Force is available to provide a quality service at a reasonable cost. You will have the assurance of a Mira trained engineer/agent, genuine Mira spare parts and a 12 month guarantee on the repair.

Payment should be made directly to the engineer/agent who will accept most major Credit or Debit cards or a cheque supported by a banker's card.

## To Contact Us


England, Scotland, Wales and Northern Ireland  
Mira Enclosures Technical Helpline

Telephone: 0151 606 5000

E-mail: [Technical-Enclosures@mirashowers.co.uk](mailto:Technical-Enclosures@mirashowers.co.uk)

Fax: 0151 683 0303

By Post: Alfred Road, Wallasey, Wirral, CH44 7HY



Mira is a registered trade mark of  
Kohler Mira Limited.  
The company reserves the right to alter  
product specifications without notice.  
[www.mirashowers.co.uk](http://www.mirashowers.co.uk)

**mira**  
SHOWERS



FM 14648